

7

References

- Adair E R (1983). Sensation, subtleties and standards: Synopsis of a panel discussion. IN *Microwaves and Thermoregulation* (E R Adair, Ed). New York, Academic Press, p 231.
- Adair E R, Cobb B L, Mylacraine K S and Kelleher S A (1999). Human exposure at two radiofrequencies (450 and 2450 MHz): similarities and differences in physiological response. *Bioelectromagnetics*, **20**, 12.
- Adair R K (1994). Effects of weak high-frequency electromagnetic fields on biological systems. IN *Radiofrequency Radiation Standards* (B J Klauenberg, M Grandolfo and D N Erwin, Eds). New York, Plenum Press, p 207. (The intensity of 10 mW/m² quoted in the penultimate paragraph on p 218 should be 10 mW/cm² – Adair, private communication.)
- Adey W R (1981). Tissue interactions with nonionizing electromagnetic fields. *Physiol Rev*, **61**, 435.
- Adey W R (1989). The extracellular space and energetic hierarchies in electrochemical signalling between cells. IN *Charge and Field Effects in Biosystems 2* (M J Allen, S F Cleary and F M Hawkridge, Eds). New York, Plenum Press, p 264.
- Adey W R (1993). Biological effects of electromagnetic fields. *J Cell Biochem*, **5**, 410.
- Adey W R, Bawin S M and Lawrence A F (1982). Effects of weak amplitude-modulated microwave fields on calcium efflux from awake cat cerebral cortex. *Bioelectromagnetics*, **3**, 295.
- Adey W R, Byus C V, Cain C D, Higgins R J, Jones R A, Kean C J, Kuster N, MacMurray A, Stagg R B, Zimmerman G, Phillips J L and Haggren W (1999). Spontaneous and nitrosourea-induced primary tumours in Fischer 344 rats chronically exposed to 836 MHz modulated microwaves. *Radiat Res*, **152**, 293.
- Ahlbom A and Feychting M (1999). Re: Use of cellular phones and the risk of brain tumours: a case–control study. *Int J Oncol*, **15**, 1045.
- Alam M T, Barthakur N, Lambert N G and Kasatiya S S (1978). Cytological effects of microwave radiation in Chinese hamster cells *in vitro*. *Can J Genet Cytol*, **20**, 23.
- Albert E N (1977). Light and electron microscopic observations on the blood–brain barrier after microwave irradiation. IN *Symposium on Biological Effects and Measurement of Radio Frequency/Microwaves* (D G Hazzard, Ed). Rockville, Maryland, US Department of Health, Education and Welfare, HEW Publication (FDA) 8026, p 294.
- Albert E N (1979). Reversibility of microwave-induced blood–brain barrier permeability. *Radio Sci*, **14(S)**, 323.
- Albert E N and Kerns J M (1981). Reversible microwave effects on the blood–brain barrier. *Brain Res*, **230**, 153.
- Albert E N, Slaby F, Roche J and Loftus J (1987). Effect of amplitude modulated 147 MHz radiofrequency radiation on calcium ion efflux from avian brain tissue. *Radiat Res*, **109**, 19.
- Alm H and Nilsson L (1994). Changes in driver behaviour as a function of handsfree mobile phones – a simulator study. *Accid Anal Prev*, **26**, 441.
- Alm H and Nilsson L (1995). The effects of a mobile telephone task on driver behaviour in a car following situation. *Accid Anal Prev*, **27**, 707.
- Allis J W and Sinha-Robinson B L (1987). Temperature-specific inhibition of human cell Na⁺/K⁺ ATPase by 2450 MHz microwave radiation. *Bioelectromagnetics*, **8**, 203.
- Anderstam B, Hamnerium Y, Hussain S and Ehrenberg L (1983). Studies of possible genetic effects in bacteria of high frequency electromagnetic fields. *Hereditas*, **98**, 11.
- Antipenko E N and Koveshnikova I V (1987). Cytogenetic effects of microwaves of non-thermal intensity in mammals. *Dokl Akad Nauk SSSR*, **296**, 724.

- Antonopoulos A, Eisenbrandt H and Obe G (1997). Effects of high-frequency electromagnetic fields on human lymphocytes *in vitro*. *Mutat Res*, **395**, 209.
- Asanami S and Shimono K (1999). High body temperature induces micronuclei in mouse bone marrow. *Mutat Res*, **390**, 79.
- Arber S L and Lin J C (1984). Microwave enhancement of membrane conductance: effects of EDTA, caffeine and tetracaine. *Physiol Chem Phys Med NMR*, **16**, 469.
- Arber S L and Lin J C (1985). Microwave induced changes in nerve cells: effects of modulation and temperature. *Bioelectromagnetics*, **6**, 257.
- Arkin H, Xu L X and Holmes K R (1994). Recent developments in modeling heat transfer in blood perfused tissues. *IEEE Trans Biomed Eng*, **41**, 97.
- Athey T W and Krop B A (1980). Millimetre wave induction of lamda prophage – dependent on growth medium? Bioelectromagnetics Society, 2nd Annual Meeting, September 1980, San Antonio. *Bioelectromagnetics*, **1**, 241.
- Averbeck D, Dardalhon M and Berteaud A J (1976). Microwaves action in procaryotic and eucaryotic cells and a possible interaction with x-rays. *J Microwave Power Electromag Energy*, **11**, 143.
- Balcer-Kubiczek E K and Harrison G H (1985). Evidence for microwave carcinogenesis *in vitro*. *Carcinogenesis*, **6**, 859.
- Balcer-Kubiczek E K and Harrison G H (1989). Induction of neoplastic transformation in C3H/10T_{1/2} cells by 2.45-GHz microwaves and phorbol ester. *Radiat Res*, **117**, 531.
- Balcer-Kubiczek E K and Harrison G H (1991). Neoplastic transformation of C3H/10T_{1/2} cells following exposure to 120-Hz modulated 2.45 GHz microwaves and phorbol ester tumor promoter. *Radiat Res*, **126**, 65.
- Balode Z (1996). Assessment of radio-frequency electromagnetic radiation by the micronucleus test in Bovine peripheral erythrocytes. *Sci Total Environ*, **180**, 81.
- Baranski S, Arber S L and Lin J C (1972). Histological and histochemical effects of microwave irradiation on the central nervous system of rabbits and guinea pigs. *Am J Physiol Med*, **51**, 182.
- Baum S J, Ekstrom M E, Skidmore W D, Wyant D E and Atkinson J L (1976). Biological measurements in rodents exposed continuously throughout their adult life to pulsed electromagnetic radiation. *Health Phys*, **30**, 161.
- Bawin S M, Gavalas-Medici R J and Adey W R (1973). Effects of modulated very high frequency fields on specific brain rhythms in cats. *Brain Res*, **58**, 365.
- Bawin S M, Gavalas-Medici R J and Adey W R (1974). Reinforcement of transient brain rhythms by amplitude-modulated VHF fields. IN *Biological and Clinical Effects of Low Frequency Magnetic and Electric Fields* (J G Llauro, A Sances and J H Battocletti, Eds). Springfield, Charles C Thomas, p 172.
- Bawin S M, Kaczmarek L K and Adey W R (1975). Effects of modulated VHF fields on the central nervous system. *Ann NY Acad Sci*, **247**, 74.
- Beechey C V, Brooker D, Kowalczyk C I, Saunders R D and Searle A G (1986). Cytogenetic effects of microwave irradiation on male germ cells of the mouse. *Int J Radiat Biol*, **50**, 909.
- Belyaev I Ya (1992). Some biophysical aspects of the genetic effect of low-intensity millimeter waves. *Bioelectrochem Bioenerg*, **27**, 11.
- Beral V (2000). *Personal communication*.
- Berman E, Kinn J B and Carter H B (1978). Observations of mouse fetuses after irradiation with 2.45 GHz microwaves. *Health Phys*, **35**, 791.
- Berman E, Carter H B and House D (1980). Tests for mutagenesis and reproduction in male rats exposed to 2450 MHz (CW) microwaves. *Bioelectromagnetics*, **1**, 65.
- Blackman C F, Surles M C and Benane S G (1976). The effect of microwave exposure on bacteria: mutation induction. IN *Biological Effects of Electromagnetic Waves*. Selected papers of the UNSC/URSI Annual Meeting, Boulder, Colorado, October 1975 (C C Johnson and M L Shore, Eds). Rockville, Maryland, US Department of Health, Education and Welfare, Volume 1, p 406.
- Blackman C F, Elder J A, Weil C M, Benane S G, Eichinger D C and House D E (1979). Induction of calcium-ion efflux from brain tissue by radiofrequency radiation: effects of modulation frequency and field strength. *Radio Sci*, **14(S)**, 93.

References

- Blackman C F, Benane S G, Elder J A, House D E, Lampe J A and Faulk J M (1980a). Induction of calcium-ion efflux from brain tissue by radiofrequency radiation: effect of sample number and modulation frequency on the power-density window. *Bioelectromagnetics*, **1**, 35.
- Blackman C F, Benane S G, Joines W T, Hollis M A and House D E (1980b). Calcium-ion efflux from brain tissue: power-density versus internal field-intensity dependencies at 50-MHz RF radiation. *Bioelectromagnetics*, **1**, 277.
- Blackman C F, Kinney L S, House D E and Joines W T (1989). Multiple power density windows and their possible origin. *Bioelectromagnetics*, **10(2)**, 115.
- Blackwell R P and Saunders R D (1986). The effects of low-level radiofrequency and microwave radiation on brain tissue and animal behaviour. *Int J Radiat Biol*, **50**, 761.
- Blevins R D, Crenshaw R C, Houghland A E and Clark C E (1980). The effects of microwave radiation and heat on specific mutants of *Salmonella typhimurium* LT2. *Radiat Res*, **82**, 511.
- Bohr H and Bohr J (2000). Microwave enhanced kinetics observed in ORD studies of a protein. *Bioelectromagnetics*, **21**, 68.
- Borbely A A, Huber R, Graf T, Fuchs B, Gallmann E and Achermann P (1999). Pulsed high-frequency electromagnetic field affects human sleep and sleep electroencephalogram. *Neurosci Lett*, **275**, 207.
- Braune S, Wrocklage C, Raczek J, Gailus T and Lucking C H (1998a). Resting blood pressure increase during exposure to a radiofrequency electromagnetic field. *Lancet*, **351**, 1857.
- Braune S, Wrocklage C, Raczek J, Gailus T and Lucking C H (1998b). Radiofrequency electromagnetic field from mobile phones. *Lancet*, **352**, 576.
- Brookhuis K A, De Vries G and de Waard D (1991). The effects of mobile telephoning on driving performance. *Accid Anal Prev*, **23**, 309.
- Brown D, Tickner A H and Simmonds D C V (1969). Interference between concurrent tasks of driving and telephoning. *J Appl Psychol*, **53**, 419.
- Brusick D, Albertini R, McRee D, Peterson D, Williams G, Hanawalt P and Preston J (1998). Genotoxicity of radiofrequency radiations. *Environ Mol Mutagen*, **32**, 1.
- Brück K and Hinckel P (1990). Thermoafferent networks and their adaptative modifications. *Encycl Pharmacol Ther*, **6**, 129.
- Byus C V and Hawel L (1997). Additional considerations about bioeffects. IN *Mobile Communications Safety* (Q Balzano and J C Lin, Eds). London, Chapman and Hall, p 133.
- Byus C V, Kartun K, Pieper S and Adey W R (1988). Increased ornithine decarboxylase activity in cultured cells exposed to low energy modulated microwave fields and phorbol ester tumor promoters. *Cancer Res*, **48**, 4222.
- Cain C D, Thomas D L and Adey W R (1997). Focus formation of C3H/10T_{1/2} cells and exposure to a 836.55 MHz modulated radiofrequency field. *Bioelectromagnetics*, **18**, 237.
- Cantor K P, Dosemeci M, Brinton L A and Stewart P A (1995). Re: Breast cancer mortality among female electrical workers in the United States. *J Natl Cancer Inst*, **87**, 227.
- Carpenter R L (1979). Ocular effects of microwave radiation. *Bull NY Acad Sci*, **55**, 1048.
- Chadwick P J (1998). Occupational exposures to electromagnetic fields: the practical application of NRPB guidelines. Chilton, NRPB-R301.
- Chapman S and Schofield W N (1998a). Lifesavers and Samaritans: emergency use of cellular (mobile) phones in Australia. *Accid Anal Prev*, **30**, 815.
- Chapman S and Schofield W N (1998b). Emergency use of cellular (mobile) telephones. *Lancet*, **351**, 650.
- Chagnaud J-L, Moreau J-M and Veyret B (1999). No effect of short-term exposure to GSM-modulated low-power microwaves on benzo(a)pyrene-induced tumours in rat. *Int J Radiat Biol*, **75(10)**, 1251.
- Chen K M, Samuel A and Hoopingarner R (1974). Chromosomal aberration of living cells induced by microwave radiation. *Environ Lett*, **6**, 37.
- Chernovetz M E, Justesen D R and Oke A F (1977). A teratological study of the rat: microwave and infrared radiations compared. *Radio Sci*, **12S**, 191.

- Chizhenkova R A and Safroshkina A A (1996). Electrical reactions of brain to microwave irradiation. *Electro-Magnetobiology*, **15**, 253.
- Chou C-K and Guy A W (1978). Effects of electromagnetic fields on isolated nerve and muscle preparation. *IEEE Trans Microwave Theory Tech*, **26**, 141.
- Chou C-K and Guy A W (1979). Microwave-induced auditory responses in guinea pigs: relationship of threshold and microwave-pulse duration. *Radio Sci*, **14**, 193.
- Chou C-K, Guy A W and Galambos R (1982). Auditory perception of radiofrequency electromagnetic fields. *J Acoust Soc Am*, **71**, 1321.
- Chou C-K, Guy A W, Borneman L E, Kunz L L and Kramar P (1983). Chronic exposure of rabbits to 0.5 and 5 mW/cm² 2450-MHz CW microwave radiation. *Bioelectromagnetics*, **4**(1), 63.
- Chou C K, Yee K C and Guy A W (1985). Auditory response in rats exposed to 2,450 MHz electromagnetic fields in a circularly polarized waveguide. *Bioelectromagnetics*, **6**, 323.
- Chou C-K, Guy A W, Kunz L L, Johnson R B, Crowley J J and Krupp J H (1992). Long-term, low-level microwave irradiation of rats. *Bioelectromagnetics*, **13**, 469.
- Ciaravino V, Meltz M L and Erwin D N (1987). Effects of radiofrequency radiation and simultaneous exposure with mitomycin C on the frequency of sister chromatid exchanges in Chinese hamster ovary cells. *Environ Mutagen*, **9**, 393.
- Ciaravino V, Meltz M L and Erwin D N (1991). Absence of a synergistic effect between moderate-power radio-frequency electromagnetic radiation and adriamycin on cell-cycle progression and sister-chromatid exchange. *Bioelectromagnetics*, **12**, 289.
- Cleary S F (1990a). Cellular effects of radiofrequency electromagnetic fields. IN *Biological Effects and Medical Applications of Electromagnetic Energy* (O P Gandhi, Ed). Englewood Cliffs, New Jersey, Prentice-Hall, p 339.
- Cleary S F (1990b). Biological effects of radiofrequency electromagnetic fields. IN *Biological Effects and Medical Applications of Electromagnetic Energy* (O P Gandhi, Ed). Englewood Cliffs, New Jersey, Prentice-Hall, p 236.
- Cleary S F (1995). Effects of radiofrequency radiation on mammalian cells and biomolecules *in vitro*. IN *Electromagnetic Fields: Biological Interactions and Mechanisms* (M Blank, Ed). Washington, American Chemical Society, p 467.
- Cleary S F, Liu L-M and Merchant R E (1990a). Glioma proliferation modulated *in vitro* by isothermal radiofrequency radiation exposure. *Radiat Res*, **121**, 38.
- Cleary S F, Liu L-M and Merchant R E (1990b). *In vitro* lymphocyte proliferation induced by radiofrequency electromagnetic radiation under isothermal conditions. *Bioelectromagnetics*, **11**, 47.
- Cleary S F, Cao G and Liu L M (1996). Effects of isothermal 2450 MHz microwave radiation on the mammalian cell cycle: comparison with effects of isothermal 27 MHz radiofrequency radiation exposure. *Bioelectrochem Bioenerget*, **39**, 167.
- Cohen S M and Ellwein, L B (1991). Genetic errors, cell proliferation and carcinogenesis. *Cancer Res*, **51**, 6493.
- Cullinan W E, Herman J P, Battaglia D F, Akil H and Watson S J (1995). Pattern and time course of immediate early gene expression in rat brain following acute stress. *Neuroscience*, **64**, 477.
- D'Andrea J A (1991). Microwave radiation absorption: behavioural effects. *Health Phys*, **61**, 29.
- D'Andrea J A (1999). Behavioral evaluation of microwave irradiation. *Bioelectromagnetics*, **20**, 64.
- D'Andrea J A, Gandhi O M, Kesner R P (1976). Behavioral effects of resonant electromagnetic power absorption in rats. IN *Biological Effects of Electromagnetic Waves*. Selected papers of the UNSC/URSI Annual Meeting, Boulder, Colorado, October 1975 (C C Johnson and M L Shore, Eds). Rockville, Maryland, US Department of Health, Education and Welfare, Volume 1, p 257.
- D'Andrea J A, Gandhi O P and Lords J L (1977). Behavioral and thermal effects of microwave radiation at resonant and non-resonant wavelengths. *Radio Sci*, **12**, 251.
- D'Andrea J A, Gandhi O P, Lords J L, Durney C H, Johnson C C and Astle L (1979). Physiological and behavioral effects of chronic exposure to 2450 MHz microwaves. *J Microwave Power*, **14**, 351.

References

- D'Andrea J A, Gandhi O P, Lords J L, Durney C H, Astle L, Stensaas S and Schoenberg A A (1980). Physiological and behavioral effects of prolonged exposure to 915 MHz microwaves. *J Microwave Power*, **15**, 123.
- D'Andrea J A, Dewitt J R, Gandhi O P, Stensaas S, Lords J L and Neilson H C (1986a). Behavioral and physiological effects of chronic 2450 MHz microwave irradiation of the rat at 0.5 mW/cm². *Bioelectromagnetics*, **7**, 45.
- D'Andrea J A, Dewitt J R, Emmerson R Y, Bailey C, Stensaas S and Gandhi O P (1986b). Intermittent exposure of rats to 2450 MHz microwaves at 2.5 mW/cm². Behavioural and physiological effects. *Bioelectromagnetics*, **7**, 315.
- D'Andrea J A, Thomas A, Hatcher D J and DeVietti T L (1992). Rhesus monkey contrast sensitivity during exposure to high peak power 5.6-GHz microwave pulses. IN *Abstracts, The First World Congress for Electricity and Magnetism in Biology and Medicine*, June 1992, Orlando, Florida, p 62.
- Danniells C, Duce I, Thomas D, Sewell P, Tattersall J and de Pomerai D (1998). Transgenic nematodes as biomonitors of microwave-induced stress. *Mutat Res*, **399**, 55.
- Dardalhon M, Averbeck D and Berteaud A J (1981). Studies on possible genetic effects of microwaves in procaryotic and eucaryotic cells. *Radiat Environ Biophys*, **20**, 37.
- Davis R L and Mostofi F K (1993). Cluster of testicular cancer in police officers exposed to hand-held radar. *Am J Ind Med*, **24**, 231.
- De Lorge J O (1984). Operant behavior and colonic temperature of *Macaca mulatta* exposed to radio frequency fields at and above resonant frequencies. *Bioelectromagnetics*, **5**, 233.
- De Lorge J O and Ezell C S (1980). Observing responses of rats exposed to 1.28- and 5.62-GHz microwaves. *Bioelectromagnetics*, **1**, 183.
- de Pomerai D I, Mutwakil M H A Z, Henshaw J and Emerson L (1999). Mobile 'phone effects on nematode worms: animal *in vivo* studies using *Caenorhabditis elegans*. Presented at Mobile Phones and Health Conference, September 1999, Gothenburg, Sweden.
- DETR (Department of the Environment, Transport and the Regions) (1998). Department of the Environment, Transport and the Regions and the National Assembly for Wales Code of Best Practice. Telecommunications prior approval procedures as applied to mast/tower development.
- DETR (Department of the Environment, Transport and the Regions) (2000). Government targets mobile phone drivers in new campaign. Press notice 0041, 21 January 2000.
- Dimbylow P J and Mann S M (1994). SAR calculations in an anatomically realistic model of the head for mobile communication transceivers at 900 MHz and 1.8 GHz. *Phys Med Biol*, **39**, 1537.
- D'Inzeo G, Bernardi P, Eusebi F, Grassi F, Tamburello C and Zani B M (1988). Microwave effects on acetylcholine-induced channels in cultured chick myotubes. *Bioelectromagnetics*, **9**, 363.
- Dreyer N A, Loughlin J E and Rothman K J (1999). Cause-specific mortality in cellular telephone users. *JAMA*, **282**, 1814.
- Dolk H, Shaddick G, Walls P, Grundy C, Thakrar B, Kleinschmidt L and Elliott P (1997a). Cancer incidence near radio and television transmitters in Great Britain. 1: Sutton Coldfield transmitter. *Am J Epidemiol*, **145**, 1.
- Dolk H, Elliott P, Shaddick G, Walls P and Thakrar B (1997b). Cancer incidence near radio and television transmitters in Great Britain. 2: All high power transmitters. *Am J Epidemiol*, **145**, 10.
- Drogichina E A, Konchalovskaya N M, Glotova K V, Sadcikova N M and Snegova G V (1966). On the problems of autonomic and cardiovascular disturbances under the effects of ultrahigh frequency electromagnetic fields. ATD Report 66-124, Library of Congress, Aerospace Technology Division. *Gig Tr Prof Zabol*, **10**, 13.
- DTI (1999). Electromagnetic compatibility aspects of radio-based mobile telecommunications. LINK Research Communications Programme. London, Department of Trade and Industry.
- Dutta S K, Nelson W H, Blackman C F and Brusick D J (1979). Lack of microbial genetic response to 2.45-GHz CW and 8.5- to 9.6-GHz pulsed microwaves. *J Microwave Power Electromag Energy*, **14**, 275.
- Dutta S K, Subramoniam A, Ghosh B and Parshad R (1984). Microwave radiation induced calcium ion efflux from human neuroblastoma cells in culture. *Bioelectromagnetics*, **5**, 71.
- Dutta S K, Ghosh B and Blackman C F (1989). Radiofrequency radiation-induced calcium ion efflux enhancement from human and other neuroblastoma cells in culture. *Bioelectromagnetics*, **10(2)**, 197.

- Dutta S K, Das K, Ghosh B and Blackman C F (1992). Dose dependence of acetylcholinesterase activity in neuroblastoma cells exposed to modulated radio-frequency electromagnetic radiation. *Bioelectromagnetics*, **13**, 317.
- EC (European Commission) (1996). Possible Health Effects Related to the Use of Radiotelephones. Proposals for a Research Programme by a European Commission Expert Group. Brussels, EC.
- EC (European Commission) (1999). Council Recommendation of 12 July 1999 on the Limitation of Exposure of the General Public to Electromagnetic Fields (0 Hz to 300 GHz). *Off J Eur Commun*, L199, 59 (1999/519/EC).
- EC (European Commission) (2000). Communication from the Commission on the Precautionary Principle. Brussels, EC, COM(2000)1, February 2000.
- Edwards G S, Davis C C, Saffer J D and Swicord, M L (1984). Resonant microwave absorption of selected DNA molecules. *Phys Rev Lett*, **53(13)**, 1284.
- Elwood J M (1999). A critical review of epidemiologic studies of radiofrequency exposure and human cancers. *Environ Health Perspect*, **107**, 155.
- Erwin D E and Hurt W (1993). Biological effects of ultrawideband emission. IN *EMP Human Health Effects Science Review Panel Proceedings*, 16–18 March 1993. Washington DC, Theater Nuclear Warfare Program and Operational Medicine and Fleet Support, Bureau of Medicine and Surgery, p 91.
- Eulitz C, Ullsperger P, Freude G and Elbert T (1998). Mobile phones modulate response patterns of human brain activity. *NeuroReport*, **9**, 3229.
- FEI (Federation of the Electronics Industry) (2000). *Personal communication*.
- Fesenko E E, Makar V R, Novoselova E G and Sadovnikov V B (1999). Microwaves and cellular immunity. I. Effect of whole body microwave irradiation on tumour necrosis factor production in mouse cells. *Bioelectrochem Bioenerg*, **49(1)**, 29.
- Foster K R (2000a). *Personal communication*.
- Foster K R (2000b). *Personal communication*.
- Foster K R, Epstein B R and Gealt M A (1987). Resonances in the dielectric absorption of DNA? *Biophys J*, **52**, 421.
- Frei M R, Berger R E, Dusch S J, Guel V, Jauchem J R, Merritt J H and Stedham M A (1998a). Chronic exposure of cancer-prone mice to low-level 2450 MHz radiofrequency radiation. *Bioelectromagnetics*, **19**, 20.
- Frei M R, Jauchem J R, Dusch S J, Merritt J H, Berger R E and Stedham M A (1998b). Chronic, low-level (1.0 W/kg) exposure of mice prone to mammary cancer to 2450 MHz microwaves. *Radiat Res*, **150**, 568.
- Frey A H, Feld S R and Frey B (1975). Neural function and behaviour: defining the relationship. *Ann NY Acad Sci*, **247**, 433.
- Freude G, Ullsperger P, Eggert S and Ruppe I (1998). Effects of microwaves emitted by cellular phones on human slow brain potentials. *Bioelectromagnetics*, **19**, 384.
- Fritze K, Sommer C, Schmitz B, Mies G, Hossman K-A, Kiessling M and Wiessner C (1997a). Effect of global system for mobile communication (GSM) microwave exposure on blood-brain permeability in rat. *Acta Neuropathol*, **94**, 465.
- Fritze K, Wiessner C, Kuster N, Sommer C, Gass P, Hermann D M, Kiessling M and Hossmann K-A (1997b). Effect of Global system for mobile communication microwave exposure on the genomic response of the rat brain. *Neuroscience*, **81(3)**, 627.
- Fröhlich H (1968). Long-range coherence and energy storage in biological systems. *Int J Quantum Chem*, **II**, 641.
- Fröhlich H (1980). The biological effects of microwaves and related questions. *Adv Electronics Electron Phys*, **53**, 85.
- Fröhlich H (1986). Coherent excitation in active biological systems. In *Modern Bioelectrochemistry* (F Gutmann and H Keyzer, Eds). New York, Plenum Press, p 241.
- Furia L, Hill D W and Gandhi O P (1986). Effect of millimeter-wave irradiation on growth of *Saccharomyces cerevisiae*. *IEEE Trans Biomed Eng*, **BME-33**, 993.
- Gabriel C (2000). *Personal communication*.
- Gabriel C, Grant E H, Tata R, Brown P R, Gestblom B and Noreland E (1987). Microwave absorption in aqueous solutions of DNA. *Nature*, **328**, 145.

References

- Galvin M J, Parks D L and McRee D L (1981). Influence of 2.45 GHz microwave radiation on enzyme activity. *Radiat Environ Biophys*, **19**, 149.
- Gandhi C R and Ross D H (1989). Microwave induced stimulation of ³²P incorporation into phosphoinositides of rat brain synaptosomes. *Radiat Environ Biophys*, **28**, 223.
- Garaj-Vrhovac V (1999). Micronucleus assay and lymphocyte mitotic activity in risk assessment of occupational exposure to microwave radiation. *Chemosphere*, **39(13)**, 2301.
- Garaj-Vrhovac V, Horvat D and Koren Z (1990a). The effect of microwave radiation on the cell genome. *Mutat Res*, **243**, 8.
- Garaj-Vrhovac V, Horvat D and Koren Z (1990b). Comparison of chromosome aberration and micronucleus induction in human lymphocytes after occupational exposure to vinyl chloride monomer and microwave radiation. *Periodicum Biologorum*, **92**, 411.
- Garaj-Vrhovac V, Horvat D and Koren Z (1991). The relationship between colony-forming ability, chromosome aberrations and incidence of micronuclei in V79 Chinese hamster cells exposed to microwave radiation. *Mutat Res*, **263**, 143.
- Garaj-Vrhovac V, Fucic A and Horvat D (1992). The correlation between the frequency of micronuclei and specific chromosome aberrations in human lymphocytes exposed to microwave radiation *in vitro*. *Mutat Res*, **281**, 181.
- Garland F C, Gorham E, Garland C and Ferns J A (1988). Non-Hodgkin's lymphomas in US Navy personnel. *Arch Environ Health*, **43**, 425.
- Garland F C, Shaw E, Gorham E D, Garland C F, White M R and Sinsheimer P J (1990). Incidence of leukaemia in occupations with potential electromagnetic field exposure in United States Navy personnel. *Am J Epidemiol*, **132**, 293.
- Garson O M, McRobert T L, Campbell L J, Hocking B A and Gordon I (1991). A chromosomal study of workers with long-term exposure to radiofrequency radiation. *Med J Aust*, **155**, 289.
- Goldsmith, J R (1995). Epidemiological evidence of radiofrequency radiation (microwave) effects on health in military, broadcasting and occupational studies. *Int J Occup Environ Health*, **1**, 47.
- Gordon Z V (1966). Problems of industrial hygiene and the biological effects of electromagnetic super-high frequency fields. *Medicina* (in Russian).
- Gos P, Eicher B, Kohli J and Heyer W-D (1997). Extremely high frequency electromagnetic fields at low power density do not affect the division of exponential phase *Saccharomyces cerevisiae* cells. *Bioelectromagnetics*, **18**, 142.
- Goswami P C, Albee L D, Parsian A J, Baty J D, Moros E G, Pickard W F, Roti Roti J L and Hunt C R (1999). Proto-oncogene mRNA levels and activities of multiple transcription factors in C3H10T $\frac{1}{2}$ murine embryonic fibroblasts exposed to 835.62 and 847.74 MHz cellular phone communication frequency radiation. *Radiat Res*, **151**, 300.
- Gottlob L R and Madden D J (1999). Age differences in the strategic allocation of visual attention. *J Gerontol B Psychol Sci Soc Sci*, **54**, 165.
- Goud G N, Usha Rani M U, Reddy P P, Reddi O S, Rao M S and Saxena V K (1982). Genetic effects of microwave radiation in mice. *Mutat Res*, **103**, 39.
- Grayson J K (1996). Radiation exposure, socioeconomic status and brain tumor risk in US Air Force: a nested case-control study. *Am J Epidemiol*, **143**, 480.
- Grin A N (1974). Effects of microwave on catecholamine metabolism in brain. US Joint Pub Research Device Rep, JPRS 72066.
- Grundler W, Kaiser F, Keilmann F and Walleczek J (1992). Mechanisms of electromagnetic interaction with cellular systems. *Naturwissenschaften*, **79**, 551.
- Guy A W, Chou C-K, Kunz L L, Crowley J and Krupp J (1985). *Effects of Long-term Low-level Radiofrequency Radiation Exposure on Rats*. Volume 9. Summary. Brooks Air Force Base, Texas, USAF School of Aerospace Medicine (USAFSAM TR 85-11).
- Guy A W, Kramar P O, Harris C A and Chou C K (1980). Long-term 2450-MHz CW microwave irradiation of rabbits: methodology and evaluation of ocular and physiologic effects. *J Microwave Power*, **15**, 37.

- Haidler T, Knasmueller S, Kundi M and Haidler M (1994). Clastogenic effects of radiofrequency radiations on chromosomes of *Tradescantia*. *Mutat Res*, **324**, 65.
- Haigney D (2000). Mobile phone use whilst driving: the safest setup? *Personal communication*.
- Hamnerius Y, Rasmuson A and Rasmuson B (1985). Biological effects of high-frequency electromagnetic fields on *Salmonella typhimurium* and *Drosophila melanogaster*. *Bioelectromagnetics*, **6**, 405.
- Hansson Mild K, Oftedal G, Sandström M, Wilén J, Tynes T, Haugsdal B and Hauger E (1998). Comparison of symptoms experienced by users of analogue and digital mobile phones. A Swedish–Norwegian epidemiological study. Arbetslivsrapport 1998:23. Solna, Sweden, Arbetslivsinstitutet.
- Hardell L, Nasman A, Pahlson A, Hallquist A and Hansson Mild K (1999). Use of cellular telephones and the risk for brain tumours: a case–control study. *Int J Oncol*, **15**, 113.
- Hayes R B, Brown L M, Pottern L M, Gomez M, Kardaun J W, Hoover R N, O’Connell K J, Sutzman R E and Javadpour N (1990). Occupation and risk for testicular cancer: a case–control study. *Int J Epidemiol*, **19**, 825.
- Hermann D M and Hossman K-A (1997). Neurologic effects of microwave exposure related to mobile communication. *J Neurol Sci*, **152**, 1.
- Hibshoosh H, Johnson M and Weinstein I B (1991). Effects of overexpression of ornithine decarboxylase (ODC) on control of oncogene-induced cell transformation. *Oncogene*, **6**, 739.
- Higashikubo R, Culbreath V O, Spitz D R, LaRegina M C, Pickard W F, Straube W L, Moros E G and Roti Roti J L (1999). Radiofrequency electromagnetic fields have no effect on the *in vivo* proliferation of the 9L brain tumour. *Radiat Res*, **152**, 665.
- Hocking B, Gordon I R, Grain H L and Hatfield G E (1996). Cancer incidence and mortality and proximity to TV towers. *Med J Aust*, **165**, 601.
- Hocking B (1998). Preliminary report: symptoms associated with mobile phone use. *Occup Med*, **48**, 357.
- Holly E A, Aston D A, Ahn D K and Smith A H (1996). Intraocular melanoma linked to occupations and chemical exposures. *Epidemiology*, **7**, 55.
- Huang A T, Engle M E, Elder J A, Kinn J B and Ward T R (1977). The effect of microwave radiation (2450 MHz) on the morphology and chromosomes of lymphocytes. *Radio Sci*, **12(S)**, 173.
- Hunt E L, King N W and Phillips R D (1975). Behavioral effects of pulsed microwave radiation. *Ann NY Acad Sci*, **247**, 440.
- Hyland, G J (1998). Non-thermal bioeffects induced by low-intensity microwave irradiation of living systems. *Engineer Sci Educ J*, **7**, 261.
- ICNIRP (1996). Health issues related to the use of hand-held radiotelephones and base transmitters. *Health Phys*, **70**, 587.
- ICNIRP (1998a). Guidelines for limiting exposure to time-varying electric, magnetic and electromagnetic fields (up to 300 GHz). *Health Phys*, **74(4)**, 494.
- ICNIRP (1998b). Response to questions and comments on ICNIRP guidelines. *Health Phys*, **75(4)**, 438.
- IEEE/ANSI (1991). Standard for safety levels with respect to human exposure to radiofrequency electromagnetic fields, 3 kHz to 300 GHz. New York, IEEE, C95.1-1991.
- INIRC (1988). Guidelines on limits of exposure to radiofrequency electromagnetic fields in the frequency range from 100 kHz to 300 GHz. *Health Phys*, **54(1)**, 115.
- INIRC (1990). Interim guidelines on limits of exposure to 50/60 Hz electric and magnetic fields. *Health Phys*, **58(10)**, 113.
- Imaida K, Taki M, Yamaguchi T, Ito T, Watanabe S, Wake K, Aimoto A, Kamimura Y, Ito N and Shirai T (1998a). Lack of promoting effects of the electromagnetic near-field used for cellular phones (929.2 MHz) on rat liver carcinogenesis in a medium-term liver bioassay. *Carcinogenesis*, **19**, 311.
- Imaida K, Taki M, Watanabe S-i, Kamimura Y, Ito T, Yamaguchi T, Ito N and Shirai T (1998b). The 1.5 GHz electromagnetic near-field used for cellular phones does not promote rat liver carcinogenesis in a medium-term liver bioassay. *Jpn J Cancer Res*, **89**, 995.
- Inaba R, Shishido K, Okada A and Moroji T (1992). Effects of whole body microwave exposure on the rat brain contents of biogenic amines. *Eur J Appl Physiol*, **65**, 124.

References

- Inskip P D, Hatch E E, Stewart P A, Heineman E F, Ziegler R G, Dosemeci M, Parry D, Rothman N, Boice J D Jr, Wilcosky T C, Watson D J, Shapiro W R, Selker R G, Fine H A, Black P McL, Loeffler J S and Linet M S (1999). Study design for a case-control investigation of cellular telephones and other risk factors for brain tumours in adults. *Radiat Prot Dosim*, **86**, 45.
- Ivaschuck O I, Jones R A, Ishida-Jones T, Haggren W, Adey W R and Phillips J I (1997). Exposure of nerve growth factor-treated PC-12 rat pheochromocytoma cells to a modulated radiofrequency field at 836.55 MHz: effects on c-jun and c-fos expression. *Bioelectromagnetics*, **18**, 223.
- Jauchem J R (1997). Exposure to extremely-low-frequency electromagnetic fields and radiofrequency radiation: cardiovascular effects on humans. *Int Arch Occup Environ Health*, **70**(1), 9.
- Jauchem J R (1998). Health effects of microwave exposures: a review of the recent (1995–1998) literature. *J Microwave Power Electromag Energy*, **33**(4), 263.
- Jauchem J R and Frei M R (1992). Heart rate and blood pressure changes during radiofrequency irradiation and environmental heating. *Comp Biochem Physiol A*, **101**(1), 1.
- Jauchem J R and Frei M R (1995). High-peak-power microwave pulses: effects on heart rate and blood pressure in unanaesthetised rats. *Aviat Space Environ Med*, **66**(10), 992.
- Jensh R P (1984a). Studies of the teratogenic potential of exposure of rats to 6000-MHz microwave radiation. I. Morphologic analysis at term. *Radiat Res*, **97**, 272.
- Jensh R P (1984b). Studies of the teratogenic potential of exposure of rats to 6000-MHz microwave radiation. II. Postnatal psychophysiologic evaluations. *Radiat Res*, **97**, 282.
- Jensch R P (1997). Behavioural teratologic studies using microwave radiation: is there an increased risk from exposure to cellular phones and microwave ovens? *Reproduct Toxicol*, **11**(4), 601.
- Jensh R P, Vogel W H and Brent R L (1983a). An evaluation of the teratogenic potential of protracted exposure of pregnant rats to 2450-MHz microwave radiation. I. Morphologic analysis at term. *J Toxicol Environ Health*, **11**, 23.
- Jensh R P, Vogel W H and Brent R L (1983b). An evaluation of the teratogenic potential of protracted exposure of pregnant rats to 2450-MHz microwave radiation. II. Postnatal physiologic analysis. *J Toxicol Environ Health*, **11**, 37.
- Johansen C and Olsen J H (1999). Cellular telephones, magnetic field exposure, risk of brain tumours and cancer at other sites: a cohort study. *Radiat Prot Dosim*, **83**, 155.
- Johnson R B, Spackman D, Crowley J, Thompson D, Chou C-K, Kunz L L and Guy A W (1983). *Effects of Long-term Low-level Radiofrequency Radiation Exposure on Rats*. Volume 4. Open field behavior and corticosterone. Brooks Air Force Base, Texas, USAF School of Aerospace Medicine (USAFSAM TR 83-42).
- Jokela K, Leszczynski D, Paile W, Salomaa S, Puranen L and Hyysalo P (1999). Radiation safety of handheld mobile phones and base stations. Stockholm, STUK - S161.
- Jorritsma J B and Konings A W (1984). The occurrence of DNA strand breaks after hyperthermic treatments of mammalian cells with and without radiation. *Radiat Res*, **98**, 198.
- Juutilainen J *et al* (1998). Effects of radiofrequency radiation on the development of cancer in mice. Presented at Bioelectromagnetics Society 20th Annual Meeting, St Petersburg, Florida, June 1998.
- Juutilainen J, Heikinen P, Kosma V-M, Hongisto T, Huuskonen H, Hyysalo P, Komulainen H, Kumlin T, Lahtinen T, Land S, Penttila I, Puranen L and Väänänen A (*in press*). Do pulse-modulated or continuous 900 MHz RF fields enhance the carcinogenic effect of ionising radiation in mice? IN *Proceedings 1st International Medical Scientific Congress "Non-Ionizing High-frequency EM Radiations: Researching the Epidemiology and Clinical Evidence"*, Rome, November 1999.
- Kaiser F (1983). IN *Biological Effects and Dosimetry of Nonionizing Radiation, Radiofrequency and Microwave Energies* (M Grandolfo, S M Michaelson and A Rindi, Eds). New York, Plenum Press, p 251.
- Kallén B, Malmquist G and Moritz U. Delivery outcome among physiotherapists in Sweden: is non-ionizing radiation a fetal hazard? *Arch Environ Health*, **37**, 81.
- Kandel E R, Schwartz J H and Jessel T M (2000). *Principles of Neural Science* (4th edition). New York, McGraw-Hill Professional Publishing.

- Kamimura Y, Saito K-i, Saiga T and Amenmiya Y (1994). Effect of 2.45 GHz microwave irradiation on monkey eyes. *IEICE Trans Commun*, **E77-B**, 762.
- Kaplan I T, Metlay M, Zaret M M and Birenbaum L (1971). Absence of heart rate effects in rabbits during low-level microwave irradiation. *IEEE Trans Microwave Theory Tech*, **19**, 168.
- Kerbacher J J, Meltz M L and Erwin D N (1990). Influence of radiofrequency radiation on chromosome aberrations in CHO cells and its interaction with DNA-damaging agents. *Radiat Res*, **123**, 311.
- Khalil A M, Qassem W F and Suleiman M M (1993). A preliminary study on the radiofrequency field-induced cytogenetic effects in cultured human lymphocytes. *Dirasat*, **20**, 121.
- Khillare B and Behari J (1998). Effect of amplitude-modulated radiofrequency radiation on reproduction pattern in rats. *Electro-Magnetobiology*, **17(1)**, 43.
- Kiselev R I and Zalyubovskaya N P (1976). Study of inhibiting effect of superhigh frequency millimetre wave on adenoviruses. US Joint Pub Research Service Rep, JPRS L/5615, p 71.
- Kittel A, Siklow L, Thuroczy G and Somosy Z (1996). Qualitative enzyme histochemistry and microanalysis reveals changes in ultra-structural distribution of calcium and calcium activated ATPases after microwave irradiation of the medial habenula. *Acta Neuropathol*, **92**, 362.
- Kohli M, Mei W N, Prohofsky E W and Van Zandt L L (1981). Calculated microwave absorption of double-helical B-conformation poly(dG).poly(dC). *Biopolymers*, **20**, 853.
- Koivisto M, Revonsuo A, Krause C M, Haarala C, Sillanmäki L, Laine M and Hämäläinen H (2000). Effects of 902 MHz electromagnetic field emitted by cellular phones on response times in humans. *NeuroReport*, **11**, 413.
- Koivisto M, Krause C M, Revonsuo A, Laine M and Hämäläinen H (*in press*). The effects of electromagnetic field emitted by GSM phones on working memory. *NeuroReport*.
- Krause C M, Sillanmäki L, Koivisto M, Häggqvist A, Saarela C, Revonsuo A, Laine M and Hämäläinen H (2000). Effects of electromagnetic field emitted by cellular phones on the EEG during a memory task. *NeuroReport*, **11**, 761.
- Kristensen T S (1989). Cardiovascular disease and the work environment. A critical review of the epidemiologic literature on nonchemical factors. *Scan J Work Environ Health*, **15**, 165.
- Kubota S, Kiyosawa H, Nomura Y, Yamada T and Seyama Y (1997). Ornithine decarboxylase overexpression in mouse 10T_{1/2} fibroblasts. Cellular transformation and invasion. *J Natl Cancer Inst*, **89**, 567.
- Kues H A and D'Anna S A (1987). Changes in the monkey eye following pulsed 2.45 GHz microwave exposure. IN *Proceedings of the Ninth Annual Conference of the IEEE Engineering in Medicine and Biology Society*, November 1987, Boston, Maryland, p 689.
- Kues H A and Monahan J C (1992a). Microwave-induced changes in the primate eye. *Johns Hopkins APL Tech Dig*, **13**, 244.
- Kues H A and Monahan J C (1992b). Pulsed microwave-induced ocular changes in the restrained non-human primate. IN Abstracts, *The First World Congress for Electricity and Magnetism in Biology and Medicine*, June 1992, Orlando, Florida, p 62.
- Kues H A, Hirst L W, Luty G A, D'Anna S A and Dunkelberger G R (1985). Effects of 2.45-GHz microwaves on primate corneal endothelium. *Bioelectromagnetics*, **6**, 177.
- Kues H A, McLeod D S, D'Anna S A, Luty G A and Monahan J C (1988). Histological evaluation of microwave-induced vascular leakage in the iris. IN Abstracts, *10th Annual Meeting of the Bioelectromagnetics Society*, June 1988, Stamford, Connecticut, p 49.
- Kues H A, McLeod D S, D'Anna S A, Johnson M A, Pery C R and Monahan J C (1991). Microwave-induced electroretinographic changes in the primate. IN Abstracts, *13th Annual Meeting of the Bioelectromagnetics Society*, June 1991, Salt Lake City, Utah, p 53.
- Kues H A, Monahan J C, D'Anna S A, McLeod D S, Luty G A and Koslov S (1992). Increased sensitivity of the non-human primate eye to microwave radiation following ophthalmic drug pretreatment. *Bioelectromagnetics*, **13**, 379.
- Kues H A, D'Anna S A, Osiander R, Green, W R and Monahan J C (1999). Absence of ocular effects after either single or repeated exposure to 10 mW/cm² from a 60 GHz CW source. *Bioelectromagnetics*, **20**, 463.
- Kwee S and Raskmark P (1998). Changes in cell proliferation due to environmental non-ionizing radiation 2. Microwave radiation. *Bioelectrochem Bioenerg*, **44**, 251.

References

- Lagorio S, Rossi P, Vecchia P, DeSantis M, Bastianini L, Fusilli M, Ferrucci A, Desideri E and Comba P (1997). Mortality of plastic-ware workers exposed to radiofrequencies. *Bioelectromagnetics*, **18**, 418.
- Lai H (1992). Research on the neurological effects of non-ionizing radiation at the University of Washington. *Bioelectromagnetics*, **13**, 513.
- Lai H and Singh N P (1995). Acute low-intensity microwave exposure increases DNA single-strand breaks in rat brain cells. *Bioelectromagnetics*, **16**, 207.
- Lai H and Singh N P (1996). Single- and double-strand DNA breaks in rat brain cells after acute exposure to radiofrequency electromagnetic radiation. *Int J Radiat Biol*, **69**, 513.
- Lai H and Singh N P (1997). Melatonin and a spin-trap compound block radiofrequency electromagnetic radiation-induced DNA strand breaks in rat brain cells. *Bioelectromagnetics*, **18**, 446.
- Lai H, Horita A, Chou C-K and Guy A W (1987). Low-level microwave irradiation affects central cholinergic activity in the rat. *J Neurochem*, **48**, 40.
- Lai H, Carino M A, Horita A and Guy A W (1989a). Low-level microwave irradiation and central nervous cholinergic systems. *Pharmacol Biochem Behav*, **33**, 131.
- Lai H, Carino M A, Horita A and Guy A W (1989b). Low-level microwave irradiation and central cholinergic activity: a dose response study. *Bioelectromagnetics*, **10**, 203.
- Lai H, Carino M, Horita A and Guy A W (1990). Corticotropin-releasing factor antagonist blocks microwave induced decreases in high-affinity choline uptake in the rat brain. *Brain Res Bull*, **25**, 609.
- Lai H, Carino M A, Wen Y F, Horita A and Guy A W (1991). Naltrexone pretreatment blocks microwave-induced changes in central cholinergic receptors. *Bioelectromagnetics*, **12**, 27.
- Lai H, Horita A and Guy A W (1994). Microwave irradiation affects radial-arm maze performance in the rat. *Bioelectromagnetics*, **15**, 95.
- Lamble D, Kauranen T, Laakso M and Summala H (1999). Cognitive load and detection in thresholds in car following situations: safety implications for using mobile (cellular) telephones while driving. *Accid Anal Prev*, **31**, 617.
- Lary J M and Conover D L (1987). Teratogenic effects of radiofrequency radiation. *IEEE Eng Med Biol Mag*, March 1987, 42.
- Lary J M, Conover D L, Foley E D and Hanser P L (1982). Teratogenic effects of 27.12 MHz radiofrequency radiation in rats. *Teratology*, **26**, 299.
- Lary J M, Conover D L, Foley E D and Hanser P L (1983). Teratogenicity of 27.12 MHz radiation in rats is related to duration of hyperthermia exposure. *Bioelectromagnetics*, **4**, 249.
- Liburdy R P and Vanek P F Jr (1987). Microwaves and the cell membrane. III. Protein shedding is oxygen and temperature dependent: evidence for cation bridge involvement. *Radiat Res*, **109**, 382.
- Liddle C G, Putnam J P and Huey O P (1994). Alteration in life span of mice chronically exposed to 2450 MHz CW microwaves. *Bioelectromagnetics*, **15**, 177.
- Lin-Liu S and Adey W R (1982). Low frequency amplitude modulated microwave fields change calcium efflux rates from synaptosomes. *Bioelectromagnetics*, **3**, 309.
- Linz K W, von Westphalen C, Streckert J, Hansen V and Meyer R (1999). Membrane potential and currents of isolated heart muscle cells exposed to pulsed radio frequency fields. *Bioelectromagnetics*, **20**, 497.
- Litovitz T A, Krause D, Penafiel M, Elson E C and Mullins J M (1993). The role of coherence time in the effect of microwaves on ornithine decarboxylase activity. *Bioelectromagnetics*, **14**, 395.
- Litovitz T A, Penafiel M, Krause D, Zhang D and Mullins J M (1997a). The role of temporal sensing in bioelectromagnetic effects. *Bioelectromagnetics*, **18**, 388.
- Litovitz T A, Penafiel L M, Farrel J M, Krause D, Meister R and Mullins J M (1997b). Bioeffects induced by exposure to microwaves are mitigated by superposition of ELF noise. *Bioelectromagnetics*, **18**, 422.
- Liu D-S, Astumian R D and Tsong T Y (1990). Activation of Na⁺ and K⁺ pumping modes of (Na, K)-ATPase by an oscillating electric field. *J Biol Chem*, **265**, 7260.
- Lloyd D C, Saunders R D, Finnon P and Kowalczyk C I (1984). No clastogenic effect from *in vitro* microwave irradiation of G₀ human lymphocytes. *Int J Radiat Biol*, **46**, 135.

References

- Lloyd D C, Saunders R D, Moquet J E and Kowalczyk C I (1986). Absence of chromosomal damage in human lymphocytes exposed to microwave radiation with hyperthermia. *Bioelectromagnetics*, **7**, 235.
- Lu S-H, Mathur S P, Stuck B, Zwick H, D'Andrea J M, Merritt J H, Luty G, Mcleod D S and Johnson M (2000). Effects of high peak power microwaves on the retina of the rhesus monkey. *Bioelectromagnetics*, **21**, 1.
- McKelvey-Martin V J, Green M H L, Schmezer P, Pool-Zobel B L, De Méo M P and Collins A (1993). The single cell gel electrophoresis assay (comet assay): a European review. *Mutat Res*, **288**, 47.
- McKenzie D R, Yin Y and Morrell S (1998). Childhood incidence of acute lymphoblastic leukemia and exposure to broadcast radiation in Sydney – a second look. *Aust NZ J Public Health*, **22**, 360.
- McKnight A J and McKnight A S (1993). The effect of cellular phones use upon driver attention. *Accid Anal Prev*, **25**, 259.
- McRee D I (1980). Soviet and Eastern European research on biological effects of microwave radiation. *Proc IEEE*, **68**, 84.
- McRee D I and Wachtel H (1980). The effects of microwave radiation on the vitality of isolated frog sciatic nerves. *Radiat Res*, **82**, 536.
- McRee D I, Elder J A, Gage M I, Reiter L W, Rosenstein L S, Shore M L, Galloway W D, Adey W R and Guy A W (1979). Effects of nonionizing radiation on the central nervous system, behavior and blood: a progress report. *Environ Health Perspect*, **30**, 123.
- McRee D I, MacNichols G and Livingston G K (1981). Incidence of sister chromatid exchange in bone marrow cells of the mouse following microwave exposure. *Radiat Res*, **85**, 340.
- McRee D I, Galvin M J and Mitchell C L (1988). Microwave effects on the cardiovascular system: a model for studying the responsivity of the autonomic nervous system to microwaves. IN *Electromagnetic Fields and Neurobehavioral Function* (M E O'Connor and R H Lovely, Eds). New York, Alan R Liss, p 153.
- Maes A, Verschaeve L, Arroyo A, De Wagter C and Vercruyssen L (1993). *In vitro* cytogenetic effects of 2450 MHz waves on human peripheral blood lymphocytes. *Bioelectromagnetics*, **14**, 495.
- Maes A, Collier M, Slaets D and Verschaeve L (1995). Cytogenetic effects of microwaves from mobile communication frequencies (954 MHz). *Electro-Magnetobiology*, **14**, 91.
- Maes A, Collier M, Slaets D and Verschaeve L (1996). 954 MHz microwaves enhance the mutagenic properties of mitomycin C. *Environ Mol Mutagen*, **28**, 26.
- Maes A, Collier M, Van Gorp U, Vandoninck S and Verschaeve L (1997). Cytogenetic effects of 935.2-MHz (GSM) microwaves alone and in combination with mitomycin C. *Mutat Res*, **393**, 151.
- Maes A, Collier M and Verschaeve L (*in press*). Cytogenetic effects of 900 MHz (GSM) microwaves in human lymphocytes. *Bioelectromagnetics*.
- Magras I N and Xenos T D (1997). RF radiation-induced changes in the prenatal development of mice. *Bioelectromagnetics*, **18**, 455.
- Malyapa R S, Ahern E W, Straube W L, Moros E G, Pickard W F and Roti Roti J L (1997a). Measurement of DNA damage following exposure to 2450 MHz electromagnetic radiation. *Radiat Res*, **148**, 608.
- Malyapa R S, Ahern E W, Straube W L, Moros E G, Pickard W F and Roti Roti J L (1997b). Measurement of DNA damage following exposure to electromagnetic radiation in the cellular communications frequency band (835.62 and 847.74 MHz). *Radiat Res*, **148**, 618.
- Malyapa R S, Ahern E W, Bi C, Straube W L, LaRegina M, Pickard W F and Roti Roti J L (1998). DNA damage in rat brain cells after *in vivo* exposure to 2450 MHz electromagnetic radiation and various methods of euthanasia. *Radiat Res*, **149**, 637.
- Manikowska-Czerska E, Czerski P and Leach W M (1985). Effects of 2.45 GHz microwaves on meiotic chromosomes of male CBA/CAY mice. *J Hered*, **76**, 71.
- Mann K and Roschke J (1996). Effects of pulsed high-frequency electromagnetic fields on human sleep. *Neuropsychobiology*, **33**, 41.
- Mann S M, Cooper T G, Allen S G, Blackwell R P and Lowe A J (*in press*). Exposure to radio waves near mobile telephone base stations. Chilton, NRPB.
- Marcickiewicz J, Chazan B, Niemie T, Sokolska G, Troszynski M, Luczak M and Szmiegielski S (1986). Microwave radiation enhances teratogenic effect of cytosine arabinoside in mice. *Biol Neonate*, **50**, 75.

References

- Marton L J and Pegg A E (1995). Polyamines as targets for therapeutic intervention. *Ann Rev Pharm Toxicol*, **35**, 55.
- Maskarinec G, Cooper J and Swygert L (1994). Investigation of increased incidence in childhood leukemia near radio towers in Hawaii: preliminary observations. *J Environ Pathol Toxicol Oncol*, **13**, 33.
- MDA (Medical Devices Agency) (1997). Electromagnetic Compatibility of Medical Devices with Mobile Communications. London, MDA DB 9702.
- Meltz M L, Walker K A and Erwin D N (1987). Radiofrequency (microwave) radiation exposure of mammalian cells during UV-induced DNA repair synthesis. *Radiat Res*, **110**, 255.
- Meltz M L, Eagan P and Erwin D N (1989). Absence of mutagenic interaction between microwaves and mitomycin C in mammalian cells. *Environ Mol Mutagen*, **13**, 294.
- Meltz M L, Eagan P and Erwin D N (1990). Proflavin and microwave radiation: absence of a mutagenic interaction. *Bioelectromagnetics*, **11**, 149.
- Merritt J H, Chamness A F, Hartzell R H and Allen S J (1977). Orientation effects on microwave-induced hyperthermia and neurochemical correlates. *J Microwave Power*, **12**, 167.
- Merritt J H, Shelton W W and Chamness A F (1982). Attempts to alter Ca-45²⁺ binding to brain tissue with pulse-modulated microwave energy. *Bioelectromagnetics*, **3**, 457.
- Mickley G A, Cobb B L, Mason P A and Farrell S (1994). Disruption of a putative working memory task and selective expression of brain *c-fos* following microwave-induced hyperthermia. *Physiol Behav*, **55**, 1029.
- Milham S (1985). Mortality in workers exposed to electromagnetic fields. *Environ Health Perspect*, **62**, 297.
- Milham S (1988). Increased mortality in amateur radio operators due to lymphatic and haematopoietic malignancies. *Am J Epidemiol*, **127**, 50.
- Millar D B, Christopher J P, Hunter J and Yeandle S S (1984). The effect of exposure of acetylcholinesterase to 2450 MHz microwave radiation. *Bioelectromagnetics*, **5**, 165.
- Mitchell C L, McRee D I, Peterson J and Tilson H A (1988). Some behavioral effects of short-term exposure of rats to 2.45 GHz microwave radiation. *Bioelectromagnetics*, **9**, 259.
- Mitchell C L, McRee D I, Peterson N J, Tilson H A, Shandala M G, Rudnev M I, Varetiskii V V and Navakatikyan M I (1989). Results of a United States and Soviet Union joint project on nervous system effects of microwave radiation. *Environ Health Perspect*, **81**, 201.
- Mitchell D S, Switzer W G and Bronaugh E L (1977). Hyperactivity and disruption of operant behavior in rats after multiple exposures to microwave exposure. *Radio Sci*, **12**, 263.
- Miura K, Morimoto K and Koizumi A (1986). Effects of temperature on chemically induced sister-chromatid exchange in human lymphocytes. *Mutat Res*, **174**, 15.
- Modak A T, Stavinoha W B and Dean U P (1981). Effect of short electromagnetic pulses on brain acetylcholine content and spontaneous motor activity in mice. *Bioelectromagnetics*, **2**, 89.
- Moe K E, Lovely R H, Myers D E, Guy A W (1976). Physiological and behavioral effects of chronic low level microwave radiation in rats. IN *Biological Effects of Electromagnetic Waves*. Selected papers of the UNSC/URSI Annual Meeting, Boulder, Colorado, October 1975 (C C Johnson and M L Shore, Eds). Rockville, Maryland, US Department of Health, Education and Welfare, Volume 1, p 248.
- Montaigne K and Pickard W F (1984). Offset of the vacuolar potential of Characean cells in response to electromagnetic radiation over the range 250 Hz – 250 kHz. *Bioelectromagnetics*, **5**, 31.
- Morgan R W, Kelsh M A, Zhao K, Exuzides A, Heringer S and Negrete W. Radiofrequency exposure and mortality from cancer of the brain and lymphatic/hematopoietic systems. *Epidemiology*, **11**, 118.
- Morrissey J J, Raney S, Heasley E, Rathinavelu P, Dauphnee M and Fallon J H (1999). Iridium exposure increases *c-fos* expression in the mouse brain only at levels which likely result in tissue heating. *Neuroscience*, **92**, 1539.
- Moshier J A, Dosesco J, Skunca M and Luck G D (1993). Transformation of NIH/3T3 cells by ornithine decarboxylase overexpression. *Cancer Res*, **53**, 2618.
- Moshier J A, Malecka-Panas E, Geng H, Dosesco J, Tureaud J, Skunca M and Majumda A P (1994). Ornithine decarboxylase transformation of NIH/3T3 cells is mediated by altered epidermal growth factor receptor activity. *Cancer Res*, **55**, 5358.

References

- Moulder J E, Erdreich L S, Malyapa R S, Merritt J, Pickard W F and Vijayalaxmi D Z (1999). Cell phones and cancer: what is the evidence for a connection? *Radiat Res*, **151**, 513.
- Muhm J M (1992). Mortality investigation of workers in an electromagnetic pulse test program. *J Occup Med*, **34**, 287.
- Nagawa H, Tsurita G and Ueno S (1999). Effects of 1.439 MHz microwave exposure on the brain in Sprague-Dawley rats. IN *Health Effects of Mobile Telephones*, Proceedings URSI General Assembly, Toronto, August 1999.
- Nelson B K, Conover D L, Brightwell W S, Shaw P B, Werren D, Edwards R M and Lary J M (1991). Marked increase in the teratogenicity of the combined administration of the industrial solvent 2-methoxyethanol and radiofrequency radiation in rats. *Teratology*, **43**, 621.
- Neubauer C, Phelan A M, Kues H and Lange D G (1990). Microwave irradiation of rats at 2.45 GHz activates pinocytotic-like uptake of tacers by capillary endothelial cells of cerebral cortex. *Bioelectromagnetics*, **11**, 261.
- NIEHS (National Institute of Environmental Health Sciences) Working Group Report (1998). *Assessment of the Health Effects from Exposure to Power-line Frequency Electric and Magnetic Fields* (C J Porter and M S Wolfe, Eds). Research Triangle Park, NC, US National Institutes of Health, NIH Publication No. 98-3981, p 311.
- Novoselova E G, Fesenko E E, Makar V R and Sadovnikov V B (1999). Microwaves and cellular immunity. II. Immunostimulating effects of microwaves and naturally occurring antioxidant nutrients. *Bioelectrochem Bioenerg*, **49(1)**, 37.
- NRC (National Research Council) (1997). *Possible Health Effects of Exposure to Residential Electric and Magnetic Fields*. Washington DC, National Academy Press.
- NRPB (1992). Electromagnetic fields and the risk of cancer. Report of an Advisory Group on Non-ionising Radiation. *Doc NRPB*, **3(1)**, 1.
- NRPB (1993a). Statement by NRPB: restrictions on human exposure to static and time varying electromagnetic fields and radiation. *Doc NRPB*, **4(5)**, 1.
- NRPB (1993b). Restrictions on human exposure to static and time varying electromagnetic fields and radiation: scientific basis and recommendations for the implementation of the Board's Statement. *Doc NRPB*, **4(5)**, 7.
- NRPB (1993c). Electromagnetic fields and the risk of cancer. Summary of the views of the Advisory Group on Non-ionising Radiation on epidemiological studies published since its 1992 report. *Doc NRPB*, **4(5)**, 65.
- NRPB (1994). Electromagnetic fields and the risk of cancer. Supplementary report by the Advisory Group on Non-ionising Radiation (12 April 1994). *Doc NRPB*, **5(2)**, 77.
- NRPB (1999a). Statement by NRPB: advice on the 1998 ICNIRP guidelines for limiting exposure to time-varying electric, magnetic and electromagnetic fields (up to 300 GHz). *Doc NRPB*, **10(2)**, 1.
- NRPB (1999b). 1998 ICNIRP guidelines for limiting exposure to time-varying electric, magnetic and electromagnetic fields (up to 300 GHz): advice on aspects of implementation in the UK. *Doc NRPB*, **10(2)**, 5.
- O'Connor M E (1980). Mammalian teratogenesis and radio-frequency fields. *Proc IEEE*, **68**, 56.
- O'Connor M E (1988). Prenatal microwave exposure and behaviour. IN *Electromagnetic Fields and Neurobehavioral Function* (M E O'Connor and R H Lovely, Eds). New York, Alan Liss, p 265.
- O'Connor M E (1999). Intrauterine effects in animals exposed to radiofrequency and microwave fields. *Teratology*, **59**, 287.
- Oscar K J and Hawkins T D (1977). Microwave alteration of the blood-brain barrier system of rats. *Brain Res*, **126**, 281.
- Ouellet-Hellstrom R and Stewart W F (1993). Miscarriages among female physical therapists who report using radio- and microwave-frequency electromagnetic radiation. *Am J Epidemiol*, **138**, 775.
- Owen R D (2000). Possible health risks of radiofrequency exposure from mobile telephones. *Epidemiology*, **11**, 99.
- Pakhomova O N, Pakhomov A G and Akyel Y (1997). Effect of millimeter waves on UV-induced recombination and mutagenesis in yeast. *Bioelectrochem Bioenerg*, **43**, 227.
- Pearce N, Reif J and Fraser J (1989). Case-control studies of cancer in New Zealand electrical workers. *Int J Epidemiol*, **18**, 51.

References

- Pederson G F and Anderson J B (1999). RF and ELF exposure from cellular phone handsets: TDMA and CDMA systems. *Radiat Prot Dosim*, **83**, 131.
- Penafiel L M, Litovitz T, Krause D, Desta A and Mullins J M (1997). Role of modulation on the effect of microwaves on ornithine decarboxylase activity in L929 cells. *Bioelectromagnetics*, **18**, 132.
- Pennes H H (1948). Analysis of tissue and arterial blood temperature in the resting human forearm. *J Appl Physiol*, **1**, 92.
- Penrose R (1994). *Shadows of the Mind*. Oxford, Oxford University Press.
- Phelan A M, Lange D G, Kues H A and Luty G A (1992). Modification of membrane fluidity in melanin-containing cells by low-level microwave radiation. *Bioelectromagnetics*, **13**, 131.
- Philippova T M, Novoselov V I and Alekseev S I (1994). Influence of microwaves on different types of receptors and the role of peroxidation of lipids on receptor-protein shedding. *Bioelectromagnetics*, **15**, 183.
- Phillips J L, Ivaschuk O, Ishida-Jones T, Jones R A, Campbell-Beachler M and Haggren W (1998). DNA damage in Molt-4 T-lymphoblastoid cells exposed to cellular telephone radiofrequency fields *in vitro*. *Bioelectrochem Bioenerget*, **45**, 103.
- Phillips L P, Blackwell D B, Clancy C J, Donner M D, Tice R T, Hook G H and McRee D M (1999). Genotoxicity of radio frequency radiation fields generated from analog, TDMA, CDMA and PCS technology evaluated using a three test *in vitro* battery. *Environ Mol Mutagen*, **33 (Suppl 30)**, 49.
- Pokorny J and Wu T-M (1998). *Biophysical Aspects of Coherence and Biological Order*. Prague, Springer, p 240.
- Power R S, David H E, Mutwakil M H A Z, Fletcher K, Daniells C, Nowell M A, Dennis J L, Martinelli A, Wiseman R, Wharf E and de Pomerai D I (1998). Stress-inducible transgenic nematodes as biomonitors of soil and water pollution. *J Biosci*, **23**, 513.
- Prausnitz S and Susskind C (1962). Effects of chronic microwave irradiation on mice. *IRE Trans Biomed Electron*, **9**, 104.
- Preece A W, Iwi G, Davies-Smith A, Wesnes K, Butler S, Lim E and Varey A (1999). Effect of a 915-MHz simulated mobile phone signal on cognitive function in man. *Int J Radiat Biol*, **75**, 447.
- Preskorn S H, Edwards W D and Justesen D R (1978). Retarded tumor growth and greater longevity in mice after fetal irradiation by 2450 MHz microwaves. *J Surg Oncol*, **10**, 483.
- Prohovskiy E W and Eyster J M (1974). Prediction of giant breathing and rocking modes in double helical RNA. *Phys Lett*, **A50**, 329.
- Pu J S, Chen J, Yang Y H and Bai Y Q (1997). The effects of 3000-MHz microwave irradiation on electroencephalic energy and energy metabolism in mouse brain. *Electro-Magnetobiology*, **16**, 243.
- Redelmeir D A and Tibshirani, R J (1997). Association between cellular-telephone calls and motor vehicle collisions. *J Med*, **336**, 453.
- Reid S W J and Gettinby G (1998). Radio-frequency electromagnetic field from mobile phones. *Lancet*, **352**, 576.
- Reiser H, Dimpfel W and Schober F (1995). The influence of electromagnetic fields on human brain activity. *Eur J Med Res*, **1**, 27.
- Reiter R J (1991). Pineal melatonin: cell biology of its synthesis and of its physiological interactions. *Endocr Rev*, **12(2)**, 151.
- Reiter R J (1993). The melatonin rhythm – both a clock and a calendar. *Experientia*, **49**, 654.
- Repacholi M H (1998). Low level exposure to radiofrequency electromagnetic fields: health effects and research needs. *Bioelectromagnetics*, **19**, 1.
- Repacholi M H and Cardis E (1997). Criteria for EMF health risk assessment. *Radiat Prot Dosim*, **72**, 305.
- Repacholi M H, Basten A, Gebiski V, Noonan D, Finnie J and Harris A W (1997). Lymphomas in Eμ-*Pim1* transgenic mice exposed to pulsed 900 MHz electromagnetic fields. *Radiat Res*, **147**, 631.
- Resnekov L (1981). Noise, radio frequency radiation and the cardiovascular system. *Circulation*, **63**, 264A.
- Roberti B, Heebels G H, Hendrix J C M, De Greef A H A M and Wolhuis O L (1975). Preliminary investigations of the effects of low-level microwave radiation on spontaneous motor activity in rats. *Ann NY Acad Sci*, **247**, 417.

References

- Roberts N J Jr (1983). Radiofrequency and microwave effects on immunological and hematopoietic systems. IN *Biological Effects and Dosimetry of Nonionizing Radiation, Radiofrequency and Microwave Energies* (M Grandolfo, S M Michaelson and A Rindi, Eds). New York, Plenum Press, p 429.
- Roberts N J Jr, Michaelson S M and Lu S-T (1986). The biological effects of radiofrequency radiation: a critical review and recommendations. *Int J Radiat Biol*, **50**, 379.
- Robinette C D, Silverman C and Jablon S (1980). Effects upon health of occupational exposure to microwave radiation (radar). *Am J Epidemiol*, **112**, 39.
- Roschke J and Mann K (1997). No short-term effects of digital mobile radio telephone on the awake human electroencephalogram. *Bioelectromagnetics*, **18**, 172.
- Rothman K J, Loughlin J E, Funch D P and Dreyer N A (1996). Overall mortality of cellular telephone customers. *Epidemiology*, **7**, 303.
- Rotkowska D, Moc J, Kautska J, Bartonicknov A, Keprtova J and Hofer M (1993). Evaluation of the biological effects of police radar RAMER 7E. *Environ Health Perspect*, **101**, 134.
- Royal Society of Canada Expert Panel Report (1999). A review of the potential health risks of radiofrequency fields from wireless telecommunication devices. An Expert Panel Report prepared at the request of the Royal Society of Canada for Health Canada. Ottawa, Royal Society of Canada, RSC.EPR 99-1.
- Sadčikova M N (1974). Clinical manifestations of reactions to microwave irradiation in various occupational groups. IN *Biological Effects and Health Hazards of Microwave Radiation* (P Czernski, K Ostrowski, M L Shore, C Silverman, M J Suess and B Waldeskog, Eds). Warsaw, Polish Medical Publishers, p 261.
- Salford L G, Brun A, Persson B R R and Eberhardt J (1993). Experimental studies of brain tumour development during exposure to continuous and pulsed 915 MHz radiofrequency radiation. *Bioelectrochem Bioenerget*, **30**, 313.
- Salford L G, Brun A, Stuesson K, Eberhardt J and Persson B R R (1994). Permeability of the blood brain barrier induced by 915 MHz electromagnetic radiation, continuous wave and modulated at 8, 16, 50, 200 Hz. *Microscopy Res Tech*, **27**, 535.
- Salzinger K (1994). Behavioral effects of electromagnetic fields in animals. IN *Biological Effects of Electric and Magnetic Fields*, Volume 1, Sources and Mechanisms (D O Carpenter and S Ayrapetyan, Eds). New York, Academic Press, p 315.
- Santini R, Honsi M, Deschaux P and Pacheco H (1988). B16 melanoma development in black mice exposed to low-level microwave radiation. *Bioelectromagnetics*, **9**, 105.
- Santo, L (1983). *Escherichia coli* induction by millimetre waves (meeting abstract). Techniques in studies of biological effects of low level millimetre waves.
- Sanza J N and de Lorge J (1977). Fixed interval behavior of rats exposed to microwaves at low power densities. *Radio Sci*, **12**, 273.
- Sarkar S, Ali S and Behari J (1994). Effect of low power microwave on the mouse genome: a direct DNA analysis. *Mutat Res*, **320**, 141.
- Saunders R D and Kowalczyk C I (1981). Effect of 2450 MHz microwave radiation and heat on mouse spermatogenic epithelium. *Int J Radiat Biol*, **40**, 623.
- Saunders R D, Darby S C and Kowalczyk C I (1983). Dominant lethal studies in male mice after exposure to 2450 MHz microwave radiation. *Mutat Res*, **117**, 345.
- Saunders R D, Kowalczyk C I, Beechey C V and Dunford R (1988). Studies of the induction of dominant lethals and translocations in male mice after chronic exposure to microwave radiation. *Int J Radiat Biol*, **53**, 983.
- Scarfì M R, Lioi M B, d'Ambrosio G, Massa R, Zeni O, De Pietro R and De Berardino D (1996). Genotoxic effects of mitomycin-C and microwave radiation on bovine lymphocytes. *Electro-Magnetobiology*, **15**, 99.
- Scholl D M and Allen S J (1979). Skilled visual-motor performance by monkeys in a 1.2-GHz microwave field. *Radio Sci*, **14**, 247.
- Schrot J, Thomas J R and Banvard R A (1980). Modification of the repeated acquisition of response sequences in rats by low-level microwave exposure. *Bioelectromagnetics*, **1**, 89.
- Schwan H P (1985). EM-field induced force effects. IN *Interactions between Electromagnetic Fields and Cells* (A Chiabrera, C Nicolini and H P Schwan, Eds). New York, Plenum Press.

References

- Science and Technology Committee (1999). Third Report. Scientific advisory system: mobile phones and health. Volume 1, Report and Proceedings of the Committee.
- Scott A C (1985). Soliton oscillations in DNA. *Phys Rev A*, **31**, 3518.
- Scottish Parliament Transport and the Environment Committee (2000). Third Report. Report on inquiry into the proposals to introduce new planning procedures for telecommunications developments.
- Seaman R L and Wachtel H (1978). Slow and rapid responses to CW and pulsed microwave radiation by individual Aplysia pacemakers. *J Microwave Power*, **13**, 77.
- Seaman R L and Lebovitz R M (1989). Thresholds of cat cochlear nucleus neurons to microwave pulses. *Bioelectromagnetics*, **10**, 147.
- Selvin S, Schulman J and Merrill D W (1992). Distance and risk measures for the analysis of spatial data: a study of childhood cancers. *Soc Sci Med*, **34**, 769.
- Shandala M G, Dumanskii U D, Rudnev M I, Ershova L K and Los I P (1979). Study of nonionizing microwave radiation effects upon the central nervous system and behavior reactions. *Environ Health Perspect*, **30**, 115.
- Sheppard A R, Bawin S M and Adey W R (1979). Models of long-range order in cerebral macromolecules: effects of sub-ELF and of modulated VHF and UHF fields. *Radio Sci*, **14(S)**, 141.
- Shelton W W Jr and Merritt J H (1981). *In vitro* study of microwave effects on calcium efflux in rat brain tissue. *Bioelectromagnetics*, **2**, 161.
- Sienkiewicz Z J, Cridland N A, Kowalczyk C I and Saunders R D (1993). Biological effects of electromagnetic fields and radiation. IN *The Review of Radio Science 1990–1992* (W R Stone, Ed). New York, Oxford University Press, p 737.
- Sienkiewicz Z J, Blackwell R P, Haylock R G E, Saunders R D and Cobb B L (2000). Low-level exposure to pulsed 900 MHz microwave radiation does not cause deficits in the performance of a spatial memory task in mice. *Bioelectromagnetics*, **21**, 151.
- Skidmore W D and Baum S J (1974). Biological effects in rodents exposed to 10^8 pulses of electromagnetic radiation. *Health Phys*, **26**, 391.
- Smialowicz R J, Rogers R R, Garner R J, Riddle M M, Luebke R W and Towe D G (1983). Microwaves (2,450 MHz) suppress murine natural killer cell activity. *Bioelectromagnetics*, **4**, 371.
- Snyder S H (1971). The effect of microwave irradiation on the turnover rate of serotonin and norepinephrine and the effect of microwave metabolizing enzymes. Washington DC, US Army Medical Research and Development Command Final Report, Contract No DADA 17-69-C-9144.
- Spalding J F, Freyman R W and Holland L M (1971). Effects of 800 MHz electromagnetic radiation on body weight, activity, haematopoiesis and life span in mice. *Health Phys*, **20**, 421.
- Stagg R B, Thomas W J, Jones R A and Adey W R (1997). DNA synthesis and cell proliferation in C6 glioma and primary glial cells exposed to a 836.55 MHz modulated radiofrequency field. *Bioelectromagnetics*, **18**, 230.
- Stark K D C, Krebs T, Altpeter E, Manz B, Griot C and Abelin T (1997). Absence of chronic effect of exposure to short-wave radio broadcast signal on salivary melatonin concentrations in dairy cattle. *J Pineal Res*, **22**, 171.
- Steele R and Hanzo L (1999). *Mobile Communications* (2nd edition). New York, Wiley.
- Stevens R G (1987). Electric power use and breast cancer: a hypothesis. *Am J Epidemiol*, **125**, 556.
- Strayer D L, Johnston W A and Grison S (1999). Driven to distraction: studies of driving and cellular phone use. *Abs Psychonomic Soc*, **4**, 16 (conference abstract).
- Swerdlow A J (1997). Epidemiology of chronic diseases in relation to radiofrequency radiation exposure: issues in interpretation of the current literature and future directions for research. IN *Proceedings of Seminar of Non-thermal Effects of RF Electromagnetic Fields*, Munich, Germany, November 1996, ICNIRP 3/97, p191.
- Szmigielski S, Szudzinski A, Pietraszek A, Bielec M and Wrembel J K (1982). Accelerated development of spontaneous and benzopyrene-induced skin cancer in mice exposed to 2450-MHz microwave radiation. *Bioelectromagnetics*, **3**, 179.
- Szmigielski S, Bielec M, Lipski S and Sokolska G (1988). Immunologic and cancer-related aspects of exposure to low-level microwave and radiofrequency fields. IN *Modern Bioelectricity* (A A Marino, Ed). New York, Marcel Dekker, p 861.

- Szudzinski A, Pietraszek A, Janiak M, Wrembel J, Kalczek M and Szmigielski S (1982). Acceleration of the development of benzopyrene-induced skin cancer in mice by microwave radiation. *Arch Dermatol Res*, **274**, 303.
- Szmigielski S (1996). Cancer mortality in subjects occupationally exposed to high-frequency (radiofrequency and microwaves) electromagnetic radiation. *Sci Total Environ*, **180**, 9.
- Takashima S, Onaral B and Schwan H P (1979). Effects of modulated RF energy on the EEG of mammalian brains. *Radiat Environ Biophys*, **16**, 15.
- Taskinen H, Kyyrönen P and Hemminki K. Effects of ultrasound, shortwaves and physical exertion on pregnancy outcome in physiotherapists. *J Epidemiol Commun Health*, **44**, 196.
- Taylor E M and Ashleman B T (1974). Analysis of central nervous system involvement in the microwave auditory effect. *Brain Res*, **74**, 201.
- Tenforde T S and Liburdy R P (1988). Magnetic deformation of phospholipid bilayers: effects on liposome shape and solute permeability at prophase transition temperatures. *J Theoret Biol*, **133**, 385.
- Thomas T L, Stolley P D, Stemhagen A, Fontham E T H, Bleecker M L, Stewart P A and Hoover R N (1987). Brain tumor mortality risk among men with electrical and electronics jobs: a case-control study. *J Natl Cancer Inst*, **79**, 233.
- Thuroczy G, Kubinyi G, Bodo M, Bakos J and Szabo L D (1994). Simultaneous response of brain electrical activity (EEG) and cerebral circulation (REG) to microwave exposure in rats. *Rev Environ Health*, **10**, 135.
- Tice R T *et al* (1999). Tests of mobile phone signals for activity in genotoxicity and other laboratory assays. Presented at Annual Meeting of the Environmental Mutagen Society, 29 March 1999, Washington DC.
- Toler J C, Shelton W W, Frei M R, Merritt J H and Stedham M A (1997). Long-term, low-level exposure of mice prone to mammary tumours to 435 MHz radiofrequency radiation. *Radiat Res*, **148**, 227.
- Tynes T, Andersen A and Langmark F (1992). Incidence of cancer in Norwegian workers potentially exposed to electromagnetic fields. *Am J Epidemiol*, **136**, 81.
- Tynes T, Hannevik M, Anderson A, Vistnes A I and Haldorsen T (1996). Incidence of breast cancer in Norwegian female radio and telegraph operators. *Cancer Causes Control*, **7**, 197.
- UNEP/WHO/IRPA (1993). Electromagnetic Fields (300 Hz – 300 GHz). Geneva, World Health Organization, Environmental Health Criteria 137.
- Urban P, Lukas E and Roth Z (1998). Does acute exposure to the electromagnetic field emitted by a mobile phone influence visual evoked potentials? A pilot study. *Centr Eur J Public Health*, **6**, 288.
- Van Leeuwen G M J, Lagendijk J J W, Van Leersum B J A M, Zwamborn A P M, Hornsleth S N and Kotte A N T J (1999). Calculation of brain temperatures due to exposure to a mobile phone. *Phys Med Biol*, **44**, 2367.
- Van Zandt L L (1986). Resonant microwave absorption by dissolved DNA. *Phys Rev Letts*, **57(16)**, 2085.
- Varma M M and Traboulay E A Jr (1976). Evaluation of dominant lethal test and DNA studies in measuring mutagenicity caused by non-ionizing radiation. IN *Biological Effects of Electromagnetic Waves*. Selected papers of the UNSC/URSI Annual Meeting, Boulder, Colorado, October 1975 (C C Johnson and M L Shore, Eds). Rockville, Maryland, US Department of Health, Education and Welfare, Volume 1, p 386.
- Varma L M and Traboulay E A (1977). Comparison of native and microwave irradiated DNA. *Experientia*, **33/12**, 1649.
- Varma M M, Dage E L and Joshi S R (1976). Mutagenicity induced by non-ionizing radiation in swiss male mice IN *Biological Effects of Electromagnetic Waves*. Selected papers of the UNSC/URSI Annual Meeting, Boulder, Colorado, October 1975 (C C Johnson and M L Shore, Eds). Rockville, Maryland, US Department of Health, Education and Welfare, Volume 1, p 386.
- Vasquez M V, Clancy C J, Blackwell D B, Donner M D, Tice R T, Hook G H and McRee D M (1999). Genotoxicity of radio frequency radiation fields generated from analog, TDMA, CDMA and PCNA in human blood cells evaluated using single gel (SCG) electrophoresis and the cytochalasin B micronucleus assay. *Environ Mol Mutagen*, **33(Suppl 30)**, 66.
- Verschaeve L (1995). Can non-ionizing radiation induce cancer? *Cancer J*, **8**, 237.
- Verschaeve L and Maes A (1998). Genetic, carcinogenic and teratogenic effects of radiofrequency fields. *Mutat Res*, **410**, 141.

References

- Vijayalaxmi D Z, Frei M R, Dusch S J, Guel V, Meltz M L and Jauchem J R (1997a). Frequency of micronuclei in the peripheral blood and bone marrow of cancer-prone mice chronically exposed to 2450-MHz radiofrequency radiation. *Radiat.Res.*, **147**, 495.
- Vijayalaxmi D Z, Mohan N, Meltz M L and Wittler M A (1997b). Proliferation and cytogenetic studies in human blood lymphocytes exposed in vitro to 2450-MHz radiofrequency radiation. *Int J Radiat Biol*, **72**, 751.
- Vijayalaxmi D Z, Frei M R, Dusch S J, Guel V, Meltz M and Jauchem, J R (1998). Correction of an error in calculation in the article "Frequency of micronuclei in the peripheral blood and bone marrow of cancer prone mice chronically exposed to 2450 MHz radiofrequency radiation. (*Radiat Res*, **147**, 495, 1997). *Radiat Res*, **149**, 308.
- Vijayalaxmi, D Z, Seaman R L, Belt M L, Doyle J M, Mathur S P and Prihodas T J (1999). Frequency of micronuclei in the blood and bone marrow cells of mice exposed to ultra-wideband electromagnetic radiation. *Int J Radiat Biol*, **75(1)**, 115.
- Violanti J M (1997). Cellular phones and traffic accidents. *Public Health*, **111**, 423.
- Violanti, J M (1998). Cellular phones and fatal traffic collisions. *Accid Anal Prev*, **30**, 519.
- Violanti J M and Marshall J R (1996). Cellular phones and traffic accidents: an epidemiological approach. *Accid Anal Prev*, **29**, 265.
- Vollrath L, Spessert R, Kratzsch T, Keiner M and Hollmann H (1997). No short-term effects of high frequency electromagnetic fields on the mammalian pineal gland. *Bioelectromagnetics*, **18**, 376.
- Vorobyov V V, Galchenko A A, Kukushkin N L and Aкоеv I G (1997). Effects of weak microwave fields amplitude modulated at ELF on EEG of symmetric brain areas in rats. *Bioelectromagnetics*, **18**, 293.
- Wachtel H, Seaman R and Joines W (1975). Effects of low-intensity microwaves on isolated neurons. *Ann N Y Acad Sci*, **247**, 46.
- Wagner P, Roschke J, Mann K, Hiller W and Frank C (1998). Human sleep under the influence of pulsed radiofrequency electromagnetic fields: a polysomnographic study using standardized conditions. *Bioelectromagnetics*, **19**, 199.
- Wainwright P R (*in press*). Thermal effects of radiation from cellular telephones. *Phys Med Biol*.
- Walters T J, Mason P A, Sherry C J, Stevens C and Merritt J H (1995). No detectable bioeffects following acute exposure to high peak power ultra-wide band electromagnetic radiation in rats. *Aviat Space Environ Med*, **66(6)**, 562.
- Wang B and Lai H (1999). Acute exposure to pulsed 2450-MHz microwaves affects water-maze performance of rats. *Bioelectromagnetics*, **21**, 52.
- Wang Z, Van Dorp R, Weidema A F and Ypey D L (1991). No evidence for effects of mild microwave irradiation on electrophysiological and morphological properties of cultured embryonic rat dorsal root ganglion cells. *Eur J Morphol*, **29**, 198.
- Which? (2000). The ring of truth. London, Consumers Association, April, p 13.
- WHO (2000). Electromagnetic fields and public health: cautionary policies. Geneva, World Health Organization.
- Williams W M, Del Cerro M and Michaelson S M (1984). Effect of 2450 MHz microwave energy on the blood-brain barrier to hydrophilic molecules. B. Effect on the permeability to HRP. *Brain Res Rev*, **7**, 171.
- Williams G M and Whysner J (1996). Epigenetic carcinogens: evaluation and risk assessment. *Experi Toxicol Pathol*, **48**, 189.
- Wolff S, James T L, Young G B, Margulis A R, Bodycote J and Afzal V (1985). Magnetic resonance imaging: absence of *in vitro* cytogenetic damage. *Radiology*, **155**, 163.
- Wood S J, Scott I R, Netell J J and Tattersall J E H (2000). Effects of low intensity radiofrequency electromagnetic fields on electrical activity in rat hippocampal slices. *Personal communication (manuscript in preparation)*.
- Wu R Y, Chiang H, Shao B J, Li N G and Fu Y D (1994). Effects of 2.45 GHz microwave radiation and phorbol ester 12-O-tetradecanoylphorbol-13-acetate on dimethylhydrazine-induced colon cancer in mice. *Bioelectromagnetics*, **15**, 531.
- Yang H K, Cain C A, Lockwood J and Tompkins W A F (1983). Effects of microwave exposure on the hamster immune system. I. Natural killer cell activity. *Bioelectromagnetics*, **4**, 123.

References

- Yao K T S (1976). Cytogenic consequences of microwave incubation of mammalian cells in culture. *Genetics*, **83**, S84.
- Yao K T S (1982). Cytogenic consequences of microwave incubation of mammalian cells intubated *in vitro*. *J Hered*, **73**, 133.
- Yao K T S and Jiles M M (1970). Effects of 2450 MHz microwave radiation on cultivated rat kangaroo cells. IN *Biological Effects and Health Implications of Microwave Radiation* (S F Cleary, Ed), Proceedings of Medical College of Virginia Symposium, 1969, p 123. Richmond VA, Department of Health, Education and Welfare, Public Health Service, Environmental Health Service, Bureau of Radiology.
- Zalyubovskaya N P and Kiselev R I (1978). Biological oxidation in cells under the influence of radiowaves in the millimeter range. US Joint Pub Research Service Rep, JPRS L/7957, p 5.
- Zook B C (1998). Radiofrequency irradiation of the brain of rats. Presented at BEMS 20th Annual Meeting, St Petersburg, Florida, June 1998.
- Zook B C (1999). The carcinogenicity of RF radiation to the brain of rats. IN *Proceedings 11th International Congress of Radiation Research*. Dublin, Radiation Research Society, 1999, p 280.